

**AFFIDAVIT – SELF CERTIFICATION OF INSTALLATION OF  
WATER-CONSERVING PLUMBING FIXTURES IN EXISTING DWELLINGS**

**FOR COMPLIANCE WITH CALIFORNIA CIVIL CODE SECTION 1101.1-1101.8**

PROPERTY ADDRESS: \_\_\_\_\_

OWNER NAME: \_\_\_\_\_ PERMIT NO.: \_\_\_\_\_

**On January 1, 2014, all building alterations or improvements to pre-1994 single-family homes are required to include water-conserving plumbing fixtures as a condition for issuance of final permit approval by the local building department.**

- Plumbing fixtures within the house must comply with State civil code 1101.1, the code requires non-compliant plumbing fixtures to be replaced with water conserving plumbing fixtures meeting the following:
  - 1.6 gallons/flush toilet or less
  - 2.5 gallon/minute single showerhead at 80 psi or less
  - 2.2 gallon/minute lavatory faucets at 60 psi or less
  - 2.2 gallon/minute kitchen faucets at 60 psi or less

NOTE: New construction must comply with the 2013 California Green Building Standards Code water conservation requirements.

As Owner/Agent of the above-referenced property, I hereby certify that the fixture(s) referenced above will be installed in accordance with the manufacturer's instructions and in compliance with the local Building Code.

Print Owner/Agent Name: \_\_\_\_\_ Date: \_\_\_\_\_

Owner/Agent  
Signature: \_\_\_\_\_

**PERMIT WILL NOT BE FINALED UNTIL THIS FORM IS COMPLETED AND RETURNED  
TO BUILDING & SAFETY**

Application Table B-103

Scope of Work	Addition or Alteration	<u>Not</u> an Addition or Alteration	Repair	SB 407 Compliance?
Re-roof			X	No
Replace W/H			X	No
Replace HVAC			X	No
New AC		X		No
Single-Family Residential Remodel/Alteration	X			Yes
Multi-Family or Commercial Addition	X			Yes <sup>1</sup>
Multi-Family or Commercial Remodel/Alteration (T.I.'s)	X			Yes <sup>2</sup>
Garage Conversion	X			Yes
New Patio/Carport		X		No
New Detached Garage		X		No
Damage Repair			X	No
Detached Accessory Structures		X		No
Addition	X			Yes
Solar Photovoltaic System		X		No
Pools/Spas and Hot Tubs		X		No
Vehicle Charging Systems		X		No
Service Panel Upgrades			X	No
Sewer Lines			X	No
Siding or Stucco			X	No
Replace Windows			X	No
Site Work: Walls, Decks, Etc.		X		No
Repairs as determined by the Building Official			X	No

<sup>1</sup> If concurrent permits sum to more than 10% increase of the existing floor area.

<sup>2</sup> If valuation of concurrent permits sum to more than \$150,000.