



ALL LUMBER SHALL CONFORM TO SEC. 204 - 1.2 OF THE "STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION", LATEST EDITION W/ SUPPLEMENTS



- ① SIGN PANELS TO BE 3/4" EXTERIOR PLYWOOD, M.D.O. GRADE
- ② REPLACEABLE SIGN, 1/16" SHEET METAL. SEE SIGN INSTALLATION DETAIL BELOW
- ③ 4" x 6" POSTS (6" SIDE OF POST NORMAL TO SIGN)
- ④ REFLECTORS SHALL BE SIMILAR TO TYPE W60R, OR AS APPROVED BY CITY ENGINEER (EQUALLY SPACED AS SHOWN)
- ⑤ FASTEN 2" x 6" BRACES WITH 3 16D STEEL NAILS AT EACH END OF BRACE
- ⑥ FASTEN POSTS WITH 4" x 4" x 1/4" ANGLE IRON AND 3/8" x 3" LAG SCREWS
- ⑦ USE (8) FLATHEAD SCREWS ON BACKING, USE (10) PAN HEAD SCREWS ON SHEET METAL



STANDARD PROJECT SIGN
TYPE I - GROUND MOUNT



TYPE II - MOVABLE MOUNT *
CITY ENGINEER APPROVAL REQ'D



CITY OF SAN BUENAVENTURA

PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

PROJECT SIGN

STD. DET. NO.

401

APPROVED BY: J.M. [Signature]
PRINCIPAL CIVIL ENGINEER

APPROVED BY: [Signature]
CITY ENGINEER R.C.E. 37084

DATE 8-2-13

SHEET
1 of 1