


PLAN

**NOTE 1.**

IF WIDTH OF SIDEWALK IS EQUAL TO OR GREATER THAN 8 FEET, W = 4 FEET.  
 IF WIDTH OF SIDEWALK IS LESS THAN 8 FEET, W = 4 FEET.  
 IF WIDTH OF SIDEWALK IS LESS THAN 6 FEET, SPECIAL DESIGN REQUIRED.



SECTION A-A

CITY OF SAN BUENAVENTURA

PUBLIC WORKS DEPARTMENT  
 ENGINEERING DIVISION

DESIGNED BY: R.D.  
 DRAWN BY: D.T.  
 CHECKED BY: S.  
 APPROVED BY: [Signature]  
 PARKS MANAGER

STANDARD TREE WELL

APPROVED BY: [Signature]  
 CITY ENGINEER R.C.E. 37604

DATE 3-7-01

STD. DET. NO.  
110  
 SHEET  
 1 of 2

# STREET TREE SPACING

**OBJECT**

**DISTANCE  
FROM TREE**

STRAIGHT PROLONGATION OF INTERSECTION CURB LINE AT A STREET CORNER.	50'
RESIDENTIAL DRIVEWAY. TO TOP OF "X"	15'
COMMERCIAL DRIVEWAY. TO TOP OF "X"	25'
FIRE HYDRANT.	15'
STREET LAMP STANDARD.	20'
PRIVATE WALK CROSSING PARKWAY.	6'
GAS, WATER OR OTHER SERVICE VAULT.	6'
LATERAL SEWER LINE CROSSING PARKWAY.	10'

CITY OF SAN BUENAVENTURA

PUBLIC WORKS DEPARTMENT  
ENGINEERING DIVISION

DESIGNED BY: <u>          R.D.          </u> DRAWN BY: <u>          D.T.          </u> CHECKED BY: <u>          J.S.          </u> APPROVED BY: <u><i>Michael Lopez</i></u> PARKS MANAGER	<h2 style="margin: 0;">STANDARD TREE WELL</h2>	STD. DET. NO. <u>          110          </u>  SHEET 2 of 2
APPROVED BY <u><i>R.R.O.</i></u> DATE <u>3-7-01</u> CITY ENGINEER R.C.E. <u>          37604          </u>		